

## FIFRA 2(ee) Recommendation



### ADDING CONTROL OF ALTERNARIA, DOWNY MILDEWS AND POWDERY MILDEWS IN ALL CROPS LABELED IN CALIFORNIA

EPA REG. No. 91197-3-92488

#### FOR USE AND DISTRIBUTION IN THE STATE OF CALIFORNIA ONLY

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA. All applicable directions, restrictions, precautions, and Conditions of Sale or Warranty on the EPA registered label are to be followed. Refer to the container label for additional instructions. Always read and follow label directions.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) Recommendation and the entire label on the product container before using this product.

#### DIRECTIONS FOR USE

**For control of Alternaria (*Alternaria* spp.), Downy Mildews (*Pseudoperonospora* spp., *Plasmopara* spp. *Sclerotheca* spp., *Phytophthora* spp., *Peronospora* spp. and *Bremia* spp.), Powdery mildews (*Podosphaera* spp., *Erysiphe* spp., *Sphaerotheca* spp., *Leveillua* spp., *Microsphaera* spp., *Phyllactina* spp., *Uncinula* spp., *Oidium* spp.), in all crops labeled in California. Apply Howler® Fungicide at 5 lbs per acre when used alone and at 2.5 lbs per acre in a tank mix with another fungicide. Howler® may be applied by chemigation, drench or drip application, by incorporation or in-furrow.**